

On Turing Completeness of One Minimal Set of Built-in Functions for Functional Programming Languages

G. A. Martirosyan

Chair of Programming and Information Technologies, YSU
E-mail: gevorg.martirosyan@gmail.com

Many functional programming languages operate on *S-expressions*. The sets of built-in functions of those languages contain *car*, *cdr*, *cons*, *atom*, *eq*, *if-then-else* functions. It is shown that Turing computable functions defined on *S-expressions* can be presented in such functional programming languages which have *car*, *cdr*, *cons*, *atom*, *eq*, *if-then-else* built-in functions. In other words, if the set of built-in constants of a functional programming language contains all these functions, then that language is Turing complete. The following two results are obtained for the minimality of the set of built-in functions $\Phi = \{car, cdr, cons, atom, eq, if-then-else\}$.

1. Φ is minimal for functional programming languages which use more than two atoms.
2. The function *eq* is representable in a functional programming language which uses only two atoms and the set $\Phi \setminus \{eq\}$ of built-in functions; the set of built-in functions $\Phi \setminus \{eq\}$ is minimal for functional programming languages which use only two atoms and it is the only proper subset of the set Φ , which is minimal for such languages.

References

1. S.A. Nigyan, "Functional Languages", *Programming and Computer Software*, Vol. 17, pp. 290-297, 1992.
2. S.A. Nigyan, "On interpretation of functional programming languages", *Programming and Computer Software*, Vol. 19, pp. 71-78, 1993.
3. L.E. Budaghyan, "Necessary and sufficient condition of completeness of computation rule for strongly typed functional programs", *Proceedings of the Conference on Computer Science and Information Technologies (CSIT-2005)*, Yerevan, 2005, p. 16-19.